

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX Carcoar

report date 11 Jul 2017

Yarding Change ¹⁹⁵⁰
-390

comparison date 04/07/2017

It was a plainer quality yarding with a fair percentage of the young cattle consisting of secondary cattle and weaners lacking finish. There was a fair selection of cows along with some good pens of prime trade cattle. There was a limited selection of grown steers and heifers.

Vealers to the trade were firm while the yearlings were 6c/kg cheaper. Vealers sold to 362c, while the prime steer yearlings sold from 275c to 359c/kg. The prime heifer yearlings sold to 334c/kg. Feeders were 25c to 30c cheaper with the feeder steers selling from 290c to 343c, to average 323c, while the feeder heifers sold to 330c/kg. Young steers to the restockers were up to 40c cheaper selling to 342c/kg.

Grown steers were 10c cheaper with the prime medium weights selling from 260c to 299c/kg. Grown heifers were 14c cheaper selling to 290c/kg. Cows were 4c to 7c cheaper with the 2 scores selling from 150c to 217c to the processors and 236c/kg to the restockers. The better 3 and 4 scores sold from 207c to 256c, while the prime heavy weights averaged 244c/kg. Bulls sold to 290c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Vealer Steer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 2 | 3 | 315.0 | - 315.0 | 315.0 | -39 | - | - | - | 583 | - 583 | 583 |
| 200-280 | RS | C | 2 | 10 | 300.0 | - 322.0 | 311.0 | -34 | - | - | - | 725 | - 825 | 775 |
| 280-330 | RS | C | 2 | 27 | 326.0 | - 342.0 | 334.4 | -23 | - | - | - | 929 | - 975 | 953 |
| | FD | C | 2 | 47 | 323.0 | - 332.0 | 330.3 | N/Q | - | - | - | 953 | - 1092 | 1077 |
| 330+ | FD | C | 3 | 1 | 330.0 | - 330.0 | 330.0 | N/Q | 623 | - 623 | 623 | 974 | - 974 | 974 |
| | | C | 2 | 7 | 331.0 | - 331.0 | 331.0 | N/Q | - | - | - | 1109 | - 1109 | 1109 |
| | | C | 3 | 20 | 295.0 | - 362.0 | 328.8 | N/Q | 557 | - 683 | 618 | 1018 | - 1348 | 1167 |
| | | | | 115 | 295.0 | 362.0 | | | 557 | 683 | | 583 | 1348 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 0-200 | | C | 2 | 2 | 305.0 | - 305.0 | 305.0 | N/Q | 587 | - 587 | 587 | 595 | - 595 | 595 |
| 200-280 | | C | 2 | 4 | 310.0 | - 310.0 | 310.0 | 22 | 596 | - 596 | 596 | 698 | - 698 | 698 |
| | FD | C | 2 | 27 | 280.0 | - 316.0 | 305.4 | -18 | - | - | - | 630 | - 806 | 764 |
| 280-330 | RS | C | 2 | 35 | 260.0 | - 280.0 | 267.4 | -22 | - | - | - | 637 | - 658 | 645 |
| | | C | 3 | 5 | 305.0 | - 325.0 | 317.0 | N/Q | 587 | - 625 | 610 | 683 | - 839 | 797 |
| 330+ | FD | C | 2 | 60 | 295.0 | - 330.0 | 313.6 | -6 | - | - | - | 841 | - 1030 | 973 |
| | FD | C | 3 | 5 | 310.0 | - 310.0 | 310.0 | N/Q | - | - | - | 1008 | - 1008 | 1008 |
| | | C | 3 | 21 | 300.0 | - 341.0 | 325.4 | -25 | 566 | - 643 | 615 | 855 | - 1108 | 1003 |
| | | C | 3 | 1 | 320.0 | - 320.0 | 320.0 | N/Q | 604 | - 604 | 604 | 1072 | - 1072 | 1072 |
| | | | | 160 | 260.0 | 341.0 | | | 566 | 643 | | 595 | 1108 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 200-280 | RS | C | 2 | 23 | 328.0 | - 335.0 | 333.2 | -27 | - | - | - | 888 | - 902 | 891 |
| 280-330 | RS | C | 2 | 20 | 323.0 | - 328.0 | 325.0 | -42 | - | - | - | 935 | - 1017 | 984 |
| | FD | C | 2 | 78 | 318.0 | - 331.0 | 327.6 | -27 | - | - | - | 906 | - 1076 | 1045 |
| 330-400 | FD | C | 2 | 98 | 300.0 | - 343.0 | 324.6 | -28 | - | - | - | 1119 | - 1321 | 1208 |
| | FD | C | 3 | 1 | 331.0 | - 331.0 | 331.0 | N/Q | - | - | - | 1241 | - 1241 | 1241 |
| | | C | 3 | 20 | 300.0 | - 359.0 | 328.2 | -22 | 566 | - 677 | 620 | 1185 | - 1278 | 1237 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 400+ | FD | C | 2 | 77 | 290.0 | - 333.0 | 321.2 | -26 | - | | | 1204 | - 1515 | 1412 |
| | RS | C | 2 | 1 | 250.0 | - 250.0 | 250.0 | N/Q | - | | | 1188 | - 1188 | 1188 |
| | FD | C | 3 | 55 | 300.0 | - 314.0 | 303.6 | -36 | - | | | 1395 | - 1601 | 1491 |
| | | C | 3 | 18 | 275.0 | - 303.0 | 289.2 | -31 | 519 | - 572 | 546 | 1407 | - 1591 | 1466 |
| | | | | 391 | 250.0 | 359.0 | | | 519 | 677 | | 888 | 1601 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 5 | 309.0 | - 309.0 | 309.0 | 23 | - | | | 819 | - 819 | 819 |
| 280-330 | FD | C | 2 | 42 | 309.0 | - 321.0 | 314.5 | -15 | - | | | 906 | - 1011 | 929 |
| | RS | C | 2 | 2 | 265.0 | - 265.0 | 265.0 | N/Q | - | | | 861 | - 861 | 861 |
| | | C | 3 | 8 | 285.0 | - 295.0 | 290.0 | -13 | 548 | - 567 | 558 | 812 | - 959 | 886 |
| 330-400 | FD | C | 2 | 55 | 291.0 | - 314.0 | 305.3 | -16 | - | | | 975 | - 1178 | 1111 |
| | | C | 3 | 35 | 270.0 | - 334.0 | 303.8 | 10 | 509 | - 630 | 573 | 932 | - 1286 | 1134 |
| | FD | C | 3 | 15 | 315.0 | - 315.0 | 315.0 | N/Q | - | | | 1055 | - 1055 | 1055 |
| 400+ | FD | C | 2 | 8 | 289.0 | - 289.0 | 289.0 | -23 | - | | | 1199 | - 1199 | 1199 |
| | | C | 3 | 22 | 269.0 | - 289.0 | 280.6 | -23 | 508 | - 550 | 531 | 1170 | - 1507 | 1257 |
| | FD | C | 3 | 28 | 283.0 | - 299.0 | 288.1 | -29 | - | | | 1301 | - 1354 | 1322 |
| | | | | 220 | 265.0 | 334.0 | | | 508 | 630 | | 812 | 1507 | |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | | C | 2 | 5 | 295.0 | - 303.0 | 296.6 | N/Q | 557 | - 583 | 562 | 1288 | - 1401 | 1379 |
| | FD | C | 2 | 21 | 303.0 | - 320.0 | 316.8 | 13 | - | | | 1288 | - 1424 | 1398 |
| | FD | C | 3 | 39 | 260.0 | - 320.0 | 312.4 | -4 | - | | | 1209 | - 1513 | 1446 |
| | | C | 3 | 3 | 250.0 | - 270.0 | 263.3 | -34 | 481 | - 519 | 506 | 1238 | - 1283 | 1268 |
| 500-600 | | C | 3 | 4 | 297.0 | - 297.0 | 297.0 | 11 | 560 | - 560 | 560 | 1559 | - 1559 | 1559 |
| | FD | C | 3 | 16 | 310.0 | - 310.0 | 310.0 | 12 | - | | | 1581 | - 1581 | 1581 |
| | | C | 4 | 43 | 260.0 | - 299.0 | 287.4 | -10 | 473 | - 554 | 537 | 1483 | - 1726 | 1559 |
| | | D | 3 | 2 | 235.0 | - 235.0 | 235.0 | N/Q | 452 | - 452 | 452 | 1281 | - 1281 | 1281 |
| 600-750 | | C | 4 | 2 | 270.0 | - 275.0 | 272.5 | N/Q | 500 | - 509 | 505 | 1688 | - 1719 | 1703 |
| 750+ | | C | 4 | 4 | 250.0 | - 250.0 | 250.0 | N/Q | 455 | - 455 | 455 | 1963 | - 1963 | 1963 |
| | | | | 139 | 235.0 | 320.0 | | | 452 | 583 | | 1209 | 1963 | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | FD | C | 2 | 23 | 220.0 | - 309.0 | 301.3 | 29 | - | | | 902 | - 1344 | 1306 |
| | RS | C | 2 | 12 | 220.0 | - 260.0 | 240.0 | -15 | - | | | 741 | - 1001 | 871 |
| | FD | C | 3 | 6 | 284.0 | - 284.0 | 284.0 | 4 | - | | | 1505 | - 1505 | 1505 |
| | | C | 3 | 35 | 250.0 | - 274.0 | 270.1 | -12 | 481 | - 517 | 513 | 1274 | - 1300 | 1292 |
| | | C | 4 | 5 | 271.0 | - 285.0 | 280.2 | -1 | 511 | - 538 | 529 | 1287 | - 1468 | 1405 |
| 540+ | | C | 4 | 31 | 269.0 | - 290.0 | 279.8 | -14 | 508 | - 547 | 528 | 1510 | - 1769 | 1624 |
| | | | | 112 | 220.0 | 309.0 | | | 481 | 547 | | 741 | 1769 | |
| Cows | | | | | | | | | | | | | | |
| 0-400 | | D | 2 | 10 | 205.0 | - 216.0 | 210.4 | 17 | 466 | - 491 | 478 | 789 | - 832 | 810 |
| 400-520 | | D | 2 | 52 | 150.0 | - 217.0 | 196.0 | -14 | 341 | - 491 | 445 | 638 | - 1092 | 872 |
| | RS | D | 2 | 8 | 236.0 | - 236.0 | 236.0 | N/Q | - | | | 1003 | - 1003 | 1003 |
| | | D | 3 | 103 | 207.0 | - 248.0 | 227.9 | -4 | 440 | - 528 | 488 | 969 | - 1203 | 1088 |
| 520+ | | D | 3 | 39 | 220.0 | - 234.0 | 227.1 | -7 | 468 | - 498 | 483 | 1155 | - 1346 | 1228 |
| | | D | 4 | 205 | 236.0 | - 256.0 | 244.0 | -5 | 458 | - 510 | 475 | 1239 | - 1815 | 1413 |
| | | D | 5 | 2 | 212.0 | - 226.0 | 219.0 | N/Q | 416 | - 443 | 429 | 1277 | - 1325 | 1301 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|------|------------------|--------------|--------------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| | | | | | 419 | 150.0 | 256.0 | | 341 | 528 | | 638 | 1815 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | | C | 2 | 1 | 220.0 | - 220.0 | 220.0 | N/Q | 423 | - 423 | 423 | 935 | - 935 | 935 |
| | RS | C | 2 | 7 | 278.0 | - 278.0 | 278.0 | -4 | | - | | 904 | - 904 | 904 |
| 450-600 | | B | 2 | 4 | 260.0 | - 260.0 | 260.0 | 10 | 491 | - 491 | 491 | 1521 | - 1521 | 1521 |
| | RS | C | 2 | 2 | 250.0 | - 250.0 | 250.0 | N/Q | | - | | 1163 | - 1163 | 1163 |
| | | C | 2 | 8 | 200.0 | - 257.0 | 245.4 | N/C | 385 | - 494 | 465 | 1115 | - 1457 | 1355 |
| 600+ | | B | 2 | 15 | 240.0 | - 290.0 | 267.7 | -4 | 444 | - 519 | 493 | 1690 | - 3500 | 2345 |
| | | C | 2 | 10 | 230.0 | - 255.0 | 242.5 | -5 | 427 | - 481 | 459 | 1507 | - 2585 | 1797 |
| | | | | | 47 | 200.0 | 290.0 | | 385 | 519 | | 904 | 3500 | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.